## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



## 1921-CATALOGUE-1921

FROM

THE Phone, Wabash - 504

317 Wabash Ave.

TERRE HAUTE, IND.

#### PARCEL POST RATES.

Seeds, bulbs and plants up to and including 4 oz. in weight can be sent at the rate of 1c an ounce regardless of distance. Over 4 oz. at the zone rate.

Limit of weight for delivery within local first and second zones, 70 pounds; to all other zones, 50 pounds. If weight exceeds this we will pack in 2 or 3 parcels (or more) provided money is remitted to cover postage.

A fraction of a pound is considered a full pound.

Lbs.	Local	Zone 1 and 2 150 miles	3rd 150 to 300 miles	4th 300 to 600 miles	5th 600 to 1000 miles
123456789011234567890 111234567890	\$0.05 .06 .06 .07 .07 .08 .09 .10 .11 .11 .12 .13 .14 .14	\$0.056 .0078 .0080 .1123 .1145 .1167 .1190 .2212 .223 .24	\$0.06 0.010 0.1124 0.116 0.1124 0.116 0.1124 0.1126 0.1124 0.1126 0.1124 0.1126 0.1124 0.1126 0.1124	\$0.071 115937 133937 133937 1455937 17593 1877 1878 1878 1878 1878 1878 1878 187	\$0.08 .12002 .2302 .3384 .5500 .5002 .607 .7800 .9904 1.1100 1.22

Low Prices.—A matter of primary importance in buying seeds is to obtain only the best. Our position enables us to supply you with such seeds, and at prices to compete with all reliable seedsmen.

Good Order.—If seeds are not received in good order within a reasonable time, write us and we will look up the shipment. Small orders are often delayed in transit.

Cash.—Money must always accompany the order. Money may be sent safely either by Postoffice Order, Express Order or Bank Draft. We will be responsible for the safe receipt of remittances sent by either of the above methods, and in orders amounting to \$1 or more the cost of remitting may be selected in extra seeds We accept postage stamps the same as cash.

## WARRANTY AND QUALITY OF SEEDS.

While we exercise the greatest care to have all our seeds Pure, Reliable, and True to Name, we do not give any warranty, express or implied, as to description, quality, and productiveness, or any other matter, of any seeds we send out, and we will not be in any way responsible for the crop. If the purchaser does not accept the seeds on these terms, they are at once to be returned and the money that has been paid for same will be refunded.

Postage.—Postage is not charged on ounces and quarter pounds of vegetable seeds excepting beans, peas and corn. For Parcel Post Rates see front page.



#### COLD FISH.

We have an elegant stock of selected American bred fish. 10 cents up. Special prices on quantities.

#### FISH CLOBES.

All sizes, both hanging and footed globes. Prices from 25 cents up.

## AQUARIA ORNAMENTS.

Full line, from 15 cents up, according to size.

### COMMON FLOWER POTS.

										ACH																EACH
2 inch										3c.	1	7 inch														
3 inch										4c.		8 inch														20c.
4 inch							/.	٠.		5c.	1	9 inch					7.		4	•			•			30c.
5 inch										8c.		10 inch														50 <b>c.</b>
6 inch										10c.		12 inch	٠	٠	•	•	٠	٠	٠		٠	٠	٠	٠	•	75 <b>c</b> .
												rice of po														

Special prices on large quantities.

## DRY POWDER SPRAYER—Easy to Operate

Holds one quart. Price, 75 cents.

## THE HIGH PRESSURE SINGLE TANK SPRAYER

It is a marvel. Quick and easy to work. It holds three gallons, and when charged, which takes but half a minute, it will give a continuous spray ten minutes, and will throw a coarse spray 12 to 15 feet high, and a fine stream onto any ordinary fruit tree. Equipped with rubber extension hose, the fine spray can be carried into the tops of trees. This sprayer is especially adapted for tobacco, potato spraying and nursery work.

## THE SMITH "JUNIOR" CONTINUOUS SPRAYER

Will do anything that any sprayer or atomizer will do and do it three times as fast, with half the labor. It is furnished with two interchangeable brass nozzles, one to spray straight ahead, the other to spray up or down or in any direction.

## THE No. 5 SPRAYER

Is made of heavy tin with double seamed reservoir, making a strong, indestructible, compact sprayer. Adapted especially for spraying our Standard Fly and Germ Killer. Holds about one quart.

## MARYVILLE BRASS BUCKET OR BARREL SPRAYER WITH ACITATOR

Complete with hose and graduating fine or coarse spray or solid stream nozzles.

PRICES OF SPRAYERS ON APPLICATION.

#### ASPARACUS.

An ounce of seed will sow 50 feet of drill, and produce about 300 plan be expected the third year from seed.	its. Fa	air crops	may
be expected the third year from been	Oz.	1/1b	lb
Columbian Mammoth White	.05	.15	.50
Early Giant Argenteuil	.05	.15	.50

### BEANS.-Dwarf or Bush.

Postage on all Beans to be paid by purchaser. See Parcel Post Rates Front Page

Beans should not be planted before the ground becomes light and warm, in favorable seasons usually about the first of May. The soil should be rich and mellow, and the seeds scattered about 3 inches apart in drills that are 2 to  $2\frac{1}{12}$  feet apart, and covered about 2 inches deep. Successive sowings, made at intervals of about two weeks until the middle of July, will give a plentiful supply of beans throughout the season. One pound of seed will sow 50 feet of drill.

promise supply of board throughout the beaton. One pound of beat		30 1000	
GREEN PODDED SORTS.			
	Lb.	⅓ Bu.	Bu.
Black Valentine	.25	\$3.25	\$12.00
Long Fellow	.25	3.25	12 00
Early and prolific. Long and very tender pods.			
Giant Stringless Green Pod	.25	3.25	12 00
Stringless Green Pod	.25	3.25	12.00
Hopkins' Imp. Round Pod, Ex. Early Valentine The best Valentine in the market.	.25	3.25	12.00
Extra Early Refugee	.25	3.25	12.00
Refugee or "1000 to 1"	.25	3.25	12.00
Extra Early Yellow Six Weeks	.25	3 25	12.00
Horticultural Dwarf	.20	2.75	10.00
Shell Beans. Late and productive,	.20	2.10	10.00
Large Red Kidney Shell Beans.	.20	2.50	9.00
White Kidney	.20	2.50	9.00
White Marrow Shell Beans.	.20	2.50	9.00
Shell Beans.  White Navy	.15	2.10	8 00
WAX PODDED BEANS			
		Lb.	10 Lbs.
Wardwell's Kidney Wax		.25	\$2.25
German Black Wax		.25	2.25
Improved Golden Wax		.25	2.25
A standard sort.  Crystal White Wax		25	2.25

#### POLE BEANS.

Less hardy than the Bush Beans, and should be planted several weeks later, when the ground is warmer. Plant the seeds in slightly raised hills 3 or 4 feet apart, 4 or 5 seeds to the hill. The Limas are especially tender, and the rule for late outside planting with them is rigid. Painstaking cultivators, who are usually the most successful, plant them eye downward, after setting stout poles for every hill. All sorts of late-ripening Pole Beans are benefited by pinching the tips of the vines back when they are about 5 feet high. A pound will plant about 100 hills.

Lb.	10 lbs,
Lazy Wife's	\$2.25
Dutch Case Knife	2 25
Speckled Cut Short Corn Bean	2.25
Horticultural or Cranberry	. 2.25
Kentucky Wonder or Old Homestead	2.25
White Kentucky Wonder	2.25
Kentucky Wonder, Wax	2.75
Early Golden Cluster Wax	2.75
POLE LIMA BEANS.	
	Lb
Large Lima	.30
King of the Garden	.30
DUOL OD BWADE LINE BEANG	
BUSH OR DWARF LIMA BEANS.	Lb.
Burpee's Imp. Bush Lima	.30
Henderson's Bush Lima	.30
Dreer's Bush Lima	.30

#### SWEET CORN.

Postage to be Paid by Purchaser. See Parcel Post Rates on Front Page.

The Sweet or Sugar varieties being liable to rot in the cold or wet ground, should not be planted before May, or until the ground has become warm, and for a succession continue planting every two weeks, until the middle of July, in rich, well-manured ground in hills three feet apart each way, covering about half an inch and then thin out three plants to a hill, or plant in rows four feet apart and to stand eight inches apart in the rows.

One-quarter pound to 100 feet; 1 gallon to the acre.

	170.	to tos.	ьu
Imp. Adam's	.10	\$ .90	\$ 4.00
Adam's Extra Early	.10	.90	4.00
Early Adams	.10	.90	4.60
Golden Bantam	.15	1.35	5.50
Kendall's E. Giant	.15	1.35	5.50
Early Mammoth	.15	1.35	5.50
Early Evergreen	.15	1.35	5.50
Country Gentleman	.15	1.35	5.50
Shoe Peg	.15	1.35	5.50
Stowell's Evergreen	.15	1.35	5.50
Late Mammoth	.15	1.35	5.50

## PEAS.

Postage to be Paid by Purchaser. See Parcel Post Rates Front Page.

Peas succeed in light, dry, loamy soil. Early and dwarf sorts require richer soil than the late varieties. If manure is used let it be old and well rotted, or there will be a rank growth of vines with few pods. Sow the early, smooth, round sorts as early in spring as the ground can be worked. Seeds of wrinkled varieties are more liable to rot if the ground is cold and must be planted later. Sow all the varieties quite early and depend for succession upon the different times of ripening of the various sorts, or from the first sowing sow every two weeks until June for a succession. One-half pound to 100 feet; 2 bushels to the acre.

	Lb.		10 lbs.	Bu.
Big Alaska		.25	2.25	11.00
Alaska	, ,	.20	1.75	8.50
The very earliest and best blue pea. Height, 2 ft.				
First and Best		.20	1.75	8.50
Very early. Height, 21 ft.				

PEAS.—Continued.			
	Lb.	10 lbs.	Bu.
Chicago Market	.30	3.00	13.00
Wrinkled variety; height 1½ ft.; about one week later than			
Gradus. Long dark green pods containing 6 to 8 large peas.			
Gradus, or Prosperity	.30	2.50	12.00
One of the earliest of wrinkled varieties; large pods. Height, $2\frac{1}{2}$ ft.			
1 0 / -	20	0.50	10.00
Thomas Laxton	.30	2.50	12.00
Nott's Excelsior	.30	2.50	12.00
An improvement on American Wonder. Height 1 ft.	.50	2.00	12.00
American Wonder	.30	2.50	12.00
Well known and very popular. Height, 1 ft.	.00	2.00	12.00
McLean's Little Gem	.30	2.50	12.00
Very prolific; a garden favorite. Height, 1 ft.	.00	2.00	12.00
Improved Stratagem	.30	2.50	12.00
An improvement on the old Stratagem. Height, 2 ft.		_,,,,	-2.00
Pride of the Market	.30	2.50	12.00
Very large pods; popular for market. Height, 12 ft.			
Juno	.30	2.50	12.00
Wrinkled; long pods containing 7 to 9 peas. Height, 2 ft.			
Heroine.	30	2.50	12.00
Large, full pods; fine quality. Height, 2 ft.			
	.30	2.50	12.00
Enormous pods; fine quality. Height, $4\frac{1}{2}$ ft.			
	.30	2.50	12.00
Well known standard variety. Height, 5 ft.			
	.25	2.00	10.00
Height, 4 ft.			
	.25	2.00	10.00
A favorite for market. Height, $2\frac{1}{2}$ ft.			

### BEETS.

The soil best suited to the Beet is a deep, light and rich loam. For very early crops, the seed is sown in hotbeds, and the seedlings are transplanted to the open ground. For main crop, the seed is sown outside as soon as the soil is in good condition, in drills from 12 to 15 inches apart, and covered about an inch deep; the plants are thinned to stand 4 or 5 inches apart in the rows. For winter crops, sow seed in June, in drills, as for early Beets. An ounce of seed will sow 100 feet of drill; five or six pounds will sow an acre.

	Oz.	141b.	lb.
Extra Early Dirigo	.10	.20	.60
New Crosby's Egyptian	.10	.20	.60
Detroit Dark Red Turnip Beet	.10	.20	.60
Improved Extra Early Eclipse	.10	.20	.60
Early Blood Turnip	.10	.20	.60
Early Turnip Passano	.10	.20	.60
Edmund's Early Blood Turnip	.10	.20	.60
Half Long Blood	.10	.20	.60
Long Dark Blood Red	.10	.20	.60
Yellow Globe	.10	.20	.60
Mammoth Long Red	.10	.20	.60
True Sugar	.10	.20	.60

R	P	П	18	2	F	П	8	S	P	P	0	П	17	rs	
_			A.					-			v	ĸ.		- L	Æ

Species of Cabbage; cultivation the same.	• •		.25	.90
COLLARDS.				Oz
True Georgia		. <b></b>	· •	٠.

## CABBACE.

Seed sown in hotbed or greenhouse about February 15 will give plants large enough to transplant into hotbeds about March 10 Set them 2 or 3 inches apart each way, and as soon as they become well established remove the glass for part of the day, to harden them for final transplanting into the open ground, increasing the exposure daily until April 10 or 20, when the final transplanting may be made. Plants for this early crop need not stand further apart than 1½x2 feet. For late crops, sow seeds in April or May, and transplant to the open ground when large enough, setting the plants up to the first leaf, and 2x3 feet apart. It is important that the plants should not stand thick in the seed-beds, as this would induce weak, slender plants.

One oz. to 1500 plants; 2 oz. to the acre.

Oopenhagen Market
Glory of Enkhuizen
Very large; solid round heads.  Extra Early Express
Burpee's All Head Early
Early Jersey Wakefield
Large Charleston Wakefield
Early Dwarf Flat Dutch
Harly Winningstadt
Fottler's Early Drumhead
Henderson's Early Spring
One of the hest early kinds
All Seasons
Similar to All Seasons.  Burpee's Sure Head
Medium size; round; very solid and fine grained.
A selected strain of large size and a good neader.
Late Drumhead
Hollander
This variety is a true shipper.
Marblehead Mammoth
Mammoth Rock Red
Improved American Savoy

#### CAULIFLOWER.

Culture for Cauliflower and cabbages is essentially the same, but to the former extra care given in applying fertilizers and moisture well repays the gardener. Sow the seeds for early and late crops as directed for cabbage, but do not set the early plants in the open field too soon, for if too much stunted by severe frosts they begin to form heads before they are strong enough to develop them well. Plants which have not headed before winter sets in may be stored in a cool cellar or coldframe, and will form heads there without any further attention.

One oz. to 1500 plants; 2 oz. to the acre.			
	Pkt.	⅓0z.	%0z.
Early Snowball	 .10	.50	1.00

#### CARROT.

Carrots succeed best on heavy loam, which preferably should have been well fertilized the previous year, as fresh manure often causes the roots to grow pronged and misshapen. Sow the seed as early in the spring as the ground can be prepared, by the soil down over them.

One convert of seed will sow 200 fast of drill: 2 prounds will sow an age.

Oxhart		3/1b. .30	1b. 1.00
Danver's Half Long Good for all purposes.	.10	.30	1.00
Long Orange	.10	.30	1.00

#### CELERIAC.

Sow in early spring; transplant the seedlings in May. They will be ready for cooking in October and may be preserved in dry sand for use during winter.

Turnip Rooted Celery										 				25	5

## CELERY

Celery can be grown on any garden soil, but is finest on deep, mellow bottom land. Seed for early crops should be sown in hotbeds about March 15. The plants may either be thinned to give them room to grow, or transplanted to another bed to grow until it is time to plant them in the open ground For main crop, seed should be sown in the open air as soon as the soil and air are warm enough. They should be covered lightly, or merely pressed into the earth with a board if the soil is fine and mellow. The seed-bed must be kept, free from weeds, and well watered in dry weather. When the plants are large enough, transplant them to shallow trenches or furrows from 4 to 6 feet apart, according to the variety grown, setting the plants 6 inches apart in the rows and pressing the soil firmly around them.

One oz. to 10,000 plants.

Golden Self Blanching, French Stock		-									.50
Winter Queen											
White Plume			 								.20

#### CORN SALAD.

Celery Cabbage or Chinese Lettuce

Sow the seed thickly in shallow drills in September, and firm the soil well down above it, if the weather be dry. Highly appreciated, and much grown where other salads and lettuces do not succeed. An ounce of seed will sow a bed 20 feet square.

Large Leaf Fine for salad.			٠.									٠,			.1					·	Oz.• .10		
-------------------------------	--	--	----	--	--	--	--	--	--	--	--	----	--	--	----	--	--	--	--	---	-------------	--	--

#### CRESS.

	One-half	oz.	to :	100	feet	of	drill.				O z
Curled or Pepper Grass . Used for salad; very pung	ent.										.20

, , , , , , , , , , , , , , , , , , , ,		
True Water Cress	vary wholesame	.40

## CUCUMBERS.

The seed cannot be planted in the open ground before the weather has become warm and settled, and the ground mellow and light. Plant the seeds in well-enriched hills about 4 feet apart each way, and as soon as all danger from insects is over thin the plants to leave four of the strongest in each hill.

One oz. to 50 hills; 1 pound to the acre.

the strongest in each hill. One	oz. to 50 hills; 1 pound to the a		
The Davis Perfect		z. ¼lb. 10 .25	1ъ. .85
A sure money maker for those engaged in		10 .25	.89
have under glass "for most "?" as my	growing cucum		
bers under glass "for profit" as we gardeners to grow out-of-doors. It is	as for truck		
earliest strain of White Spine and it of			
anything ever tried. Unequaled for			
color and productiveness. Bound to b	ecome the most		
popular cucumber when known.	and the same of the same of the	10 05	05
Hoermann's Alaska		.10 .25	.85
This is a hybrid sort which produces very			
for slicing or pickling. When suitable			
average from 6 to 8 in. long, uniform in s			
color with lighter stripes extending fr			OF THE
about \( \frac{1}{3} \) of the length. Every one should			
as it is an abundant yielder and succes	ds under condi-		
tions where other sorts fail.		h   he	1 0-
"Cumberland"		10 .25	.85
An excellent new variety; very desirable	both for slicing		
and pickles.	1		
Thorburn's Everbearing		10 .25	.85
Small size; valuable as a green pickler.  Arlington White Spine	Although		
Arlington White Spine		10 .25	.85
The old favorite.  Evergreen White Spine	I believe a mi		
Evergreen White Spine	· · · · · · · · · · · · · · · · · · ·	10 .25	.85
Claimed to be an improvement on the abo			
Early Fortune		10 :25	.85
Very fine, early and productive white spir			~~
Early Cluster		10 .25	.85
Chicago Pickling		10 .25	.85
Nichols Medium Green		10 .25	.85
London Long Green		10 .25	.85
West India Gherkin		10 .30	1.00
Good for pickling only. (Small.)	, - 1		
Japanese Climbing		10 .30	1.00
It is suitable for growing either in frames			and ex-
ceedingly productive. The fruit is exce	llent either for table or pic	kling.	
g and man man age of	10=		

## LETTUCE.

Seed for the first outdoor crop is usually sown in hotbeds in February, and the seedlings transplanted to the garden in April, 8 to 12 inches apart, in rows 12 inches apart. For a succession until frost, sow in drills in the open ground at intervals of every two or three weeks, and thin the plants to stand 6 to 8 inches apart. For plants to force in hotbeds from November until spring, sow seed in hotbeds in the fall, and cover up as winter approaches, until the plants are required for use. Or the seed may be sown in hotbeds early in winter and the seedlings transplanted when large enough into fine and well-prepared garden soil.

One-fourth oz. to 100 feet of drill; 2 pounds to the acre.

one reaction of the reaction of arm, a pounds to the derect	Oz.	3/4 lb.	Lb.
Grand Rapids	.10	.30	1.00
Extra fine for forcing.			1
Immensity, extra large size	.10	.25	.85
Black Seeded Simpson	.10	.25	.85
Stands heat well.		-	
Early Curled Simpson	.10	.25	. 85
Good for forcing and out doors.			
Philadelphia Butter	.10	.25	.85
Solid heads of large size; stands heat and cold well.			
Prize Head	.10	.25	.85
Leaves frilled and blistered; very crisp.			
Early White Cabbage or Butter	.10	.25	.85
Large solid heads.			
Denver Market	.10	.25	.85
Good header.			
Hanson	.10	.25	.85
Stands drought and hot sun well.			
Dialas arought and not but wolf.			

1921 Farm and Garden Seeds.			9
LETTUCE—Continued.			
11 12 12 12 12 12 12 12 12 12 12 12 12 1	Oz.	1/4lb	Lb.
A very early, handsome, sure-heading variety.	.10	.25	.85
Big Boston	.10	.25	.85
California Cream Butter Well formed; light green heads.	.10	.25	.85
Brown Dutch	.10	.25	.85
Iceberg	.10	.25	.85
May King Heads extra large and solid; green outside but heart clear yellow.	.10	.25	.85
ENDIVE.			
This is an important fall and winter salad. For early, the seed should drills 15 inches apart, and the seedlings thinned to stand 12 inches apart in for the main crop may be made in June and July, as the vegetable is used p winter. The inner leaves are blanched by tying the tips of the outer ones to boards over the plants. One-fourth oz. to 100 feet of drill.			ril, in wings 1 and aying
Broad Leaved Batavian		Oz.	.50
Thick, slightly wrinkled; forming a loose head.			50
White Curled		.15 .1 <b>5</b>	.50
		.10	.00
EGG PLANT.			
Sow the seed in hotbeds early in March, transplant to small pots and same beds; this is to make them strong and stocky. They should not be plor June, when the weather becomes warm and settled, as cool nights and we their growth. Set the plants in rows 3 feet apart each way and give them drawing the earth up to the stems when they are about a foot high. R sometimes necessary, as the seed does not germinate freely without strong as One oz. to 2,000 plants.	t weath thoroug epeated ad unifo	out until her will o h cultive sowings orm heat	may check ation, s are
New York Improved Spineless		.40	
KALE.			
One oz. to 2,000 plants, 1 pound to the acre.	0~	1.02	7.
Improved Siberian	0z. .10 .10	1/41b. .25 .25 .25	.90 .90
SWISS CHARD, SILVER OR SEA KALE			
Grown exclusively for its leaves, which can be used and served			
like Spinach. Cultivation same as for Beets	.10	.25	.75
KOHL RABI.			
Very palatable when prepared for the table like turnips. If the weatl seed should be sown in April, in rows 18 inches apart, and the seedlings foot apart. One-half oz. to 100 feet of drill.	ner is i	avorable l to sta	the nd a
Early White Vienna	.20 .20		•
LEEK.			
Used for seasoning soups and boiling with meats. The seed should be early spring, and the seedlings transplanted later to the open ground, 8 in from 12 to 15 inches apart. One-half oz. to 100 feet of drill.	sown i	n hotbed	is in rows
Broad Scotch or London Flag	Oz. .20		
MUSHROOM SPAWN.			
American Pure Culture Spawn	-,-1	lb. Bric	k .25

#### MUSTARD.

The young and tender leaves of the mustard are greatly relished as salads or when cooked like spinach. The seed should be sown in shallow drills as early as the ground can be prepared in spring, and the leaves cut when several inches long. One oz. to 50 feet of drill.

	Oz.	⅓lb.	Lb.
White	.10	.20	.70
Southern Giant Curled	.10	.25	.75
Ostrich Plume	.10	.25	.75

#### OKRA.

The tender young pods are used for seasoning soups and stews. Sow the seeds thickly in rich soil about the middle of May, in drills 3 feet apart, and cover the seeds an inch deep.

Two oz. to 100 feet of drill.

Dwarf White	4lb. <b>25</b>
Perkins' Mammoth	 25

#### ONION.

Onions thrive best on a rich, deep, loamy soil For sets, the seeds should be sown very thickly in drills as early as possible in spring. In summer, as soon as the tops die down, harvest the bulbs and store them in a dry, cool place, spreading them in thin layers. Early in the following spring replant them 4 inches apart, in small drills 12 inches apart, and they will form into fine, large bulbs early in the season. Large Onions may also be grown from seed the first season if the land is strong and well manured, the seed sown thinly in drills a foot apart, and the seedlings thinned to stand 3 or 4 inches apart in drills; they must be well cultivated and kept free from weeds. Five pounds per acre will be required for large onions; for sets, 25 to 30 pounds. One-half oz. to 100 feet of drill.

	Oz.	¼lb.	Lb.
Mammoth Prizetaker		.70	2.25
White Silverskin or Portugal		.70	2.25
Extra Early Red Round	.20	.60	2 00
Extra Large Red Wethersfield	.20	.60	2.00
Yellow Globe Danvers	.20	.60	2.00
Southport Large Red Globe	.20	.60	2.00
Southport Large White Globe	.30	.75	2.50
Yellow Danver	.20	60	2.00

### PARSLEY.

Much used for garnishing and flavoring soups, stews, etc. The seed is slow to germinate, and should be sown as early as possible, in drills 12 inches apart, thinning plants in rows 4 to 6 inches apart. One-half oz. to 100 feet of drill.

						Og.
Plain, for flavoring	 			 		.10
Moss Curled. Finely cut and curled for garnishin						

#### MUSKMELON.

Muskmelon seed should not be planted outdoors until the ground has become warm and dry. The hills should be about 6 feet apart, and carefully prepared. Rich earth is far better for the young plants than manure; but if the latter must be used see that it is well rotted. Plant from six to twelve seeds in a hill, and when the young seedlings are strong enough to resist the attacks of insects, thin them, leaving three of the strongest in each hill.

One oz. to 50 hills; 1 to 2 pounds per acre.

	Oz.	⅓lb.	lb.
Tip Top	.10	.30	1.00
Yellow flesh, sweet, juicy and of finest flavor.	•	•••	
Burrell's Gem, or Ordway	.10	.25	.75
A yellow fleshed nutmeg, very sweet, and a good seller.	1.		
Hoodoo	.10	.25	.75
This new variety is the equal of any melon, and superior in its			
round qualities. Yellow flesh.			
Paul Rose	.10	.25	.75
Very early; good shipper; red flesh.  Emerald Gem			
Emerald Gem	.10	.25	.75
Extra early: orange flesh: very sweet.			

#### MUSKMELON—Continued.

MUSKMELON—Continued.			
Henor Dow	Oz.	1/4lb.	Lb
A new, distinct melon of the Cassaba type. Fruit large ovid in form about 10 inches long and 8 inches in diameter; surface smooth as hard without ribbing or netting, creamy white in color, turning to lemon tint when fully ripe; flesh light emerald green, very thic ripening to the rind, very tender and melting, with an extreme sweeness found in no other melon. Matures with Osage and is an excelle shipping and keeping sort.	nd a k, et-	.30	1.00
Osage	.10	.25	.75
Iron Clad (Eden Gem)	.10	.25	.75
Extra Early Citron, or Cantelope	.10	.25	.75
Rocky Ford Colorado grown Netted Gem	.10	.25	.75
Chicago Market	.10	.25	.75
Extra Early Hackensack	.10	.25	.75
WATERMELON.			
Secure good strong vines early in the season by making the hills larg drained, with the manure placed so that they will not dry out quickly upossible protection from insects should be given the young plants, and a insects, use dry ashes or coal dust sprinkled over the leaves Plant the see the plants to four of the strongest in each hill.  One oz. to 50 feet of drill; 1 to 2 pounds to the acre.			
77111 C +- (C 1 - 1)	Oz.	1/41b.	Lb.
Kleckley Sweets (Colorado grown)	.10	.25	.75
Tom Watson	,10	.25	.75
Monte Cristo	.10	.25	.75
Halbert's Honey	.10	.25	.75
Sweet Heart	.10	.25	.75
Round Dark Icing	.10	.25	.75
Long Light Icing	.10	.25	.75
Gypsy, or Rattlesnake	.10	.25	.75
DUMPKIN			
PUMPKIN.			
Grown principally for stock-feeding, yet some are so sweet, julcy and fit will always be considered indispensable for pies and sauces. The vines requas that recommended for melons, but the seeds must be planted in hills muquently they are planted among corn. A pound of seed will plant from 200 One to two pounds to the acre.	ne-graine ire the s ch wider to 300 l	ed that same cu apart; hills.	they lture fre-
	Oz.	⅓lb.	Lb.
Sweet Cheese or Kentucky Field	.05	.15	.50
Cushaw	.10	.30	1.00

POP CORN.			. Lb
White Rice		- 9	.15
			,,,,
PEPPER.			
Sow in hotbed as early as April, and transplant to rich, warm, mellow s weather has become warm and settled, setting them about 2 feet apart in dril One oz. to 1,500 plants.	oil, as ls 3 fe	soon a et apa	
Ruby Giant			.40
Sweet Mountain			.40
Bell or Bull Nose	0 .		.40
Ruby King			.40
Cayenne			.40
Red Chili			.40
7			
PARSNIP.			
until they are 5 or 6 inches apart in the rows. The roots are much improved ug up as required. On the approach of cold weather, cover them heavily with Deep, rich, heavy soil is best suited to the culture of Parsnips, and the roots value if no fresh manure is used; as this tends to make them coarse-grained and One-half oz. to 50 feet of drill; 3 pounds to the acre.	d by for manufill be and mis	rost; re or smoot sshape	to be litter. h and
Large Hollow-crown Sugar	.10	.25	.75
Make rows two or more feet apart, and drop seed eight inches apart. M and may be planted after oats in July. In gathering every pea comes out.	atures	very	
PEPPER.  Sow in hotbed as early as April, and transplant to rich, warm, mellow soil, as soon as a weather has become warm and settled, setting them about 2 feet apart in drills 3 feet apart. One oz. to 1,500 plants.  Ruby Giant Largest of all. Red.  Sweet Mountain. Large; square shaped and mild.  Bell or Bull Nose Not quite so mild as Sweet Mountain.  Ruby King Fruit very large; bright red color. Very mild.  Cayenne Fruit long, hot and pungent.  Red Chili Small and prolific. Used for pepper sauce.  PARSNIP.  Sow the seed in drills 15 inches apart, as early as possible in spring, and thin the plan until they are 5 or 6 inches apart in the rows. The roots are much improved by frost; to dug up as required. On the approach of cold weather, cover them heavily with manure or litt Deep, rich, heavy soil is best suited to the culture of Parsnips, and the roots will be smooth a large if no fresh manure is used; as this tends to make them coarse-grained and misshapen. One-half oz. to 50 feet of drill; 3 pounds to the acre.  Oz. ¼th I Large Hollow-crown Sugar  New two or more feet apart, and drop seed eight inches apart. Matures very early and may be planted after oats in July. In gathering every pea comes out.	.30		
White Rice Golden Queen  PEPPER.  Sow in hotbed as early as April, and transplant to rich, warm, mellow soil, as soon as the weather has become warm and settled, setting them about 2 feet apart in drills 3 feet apart.  One oz. to 1,500 plants.  Ruby Giant Largest of all. Red.  Sweet Mountain Large; square shaped and mild.  Bell or Bull Nose Not quite so mild as Sweet Mountain.  Ruby King Fruit very large; bright red color. Very mild.  Cayenne Fruit long, hot and pungent.  Red Chili Small and prolific. Used for pepper sauce.  PARSNIP.  Sow the seed in drills 15 inches apart, as early as possible in spring, and thin the plant until they are 5 or 6 inches apart in the rows. The roots are much improved by frost; to be dug up as required. On the approach of cold weather, cover them heavily with manure or little Deep, rich, heavy soil is best suited to the culture of Parsnips, and the roots will be smooth an large if no fresh manure is used; as this tends to make them coarse-grained and mishapen. One-half oz, to 50 feet of drill; 3 pounds to the acre.  Oz. ½th Li Large Hollow-crown Sugar  Nake rows two or more feet apart, and drop seed eight inches apart. Matures very early and may be planted after oats in July. In gathering every pea comes out.			
Sow in sheltered spot, the earth being deeply dug, highly fertilized, and clods and stones. Radishes grown on poor, thin soil cannot be made good; shapen and tough. To be good they must be grown quickly Radishes can being with a window or a sash. One oz. to 100 feet of drill: 10 to 15 pounds per accordance.	raked they w forced	free ill be l by c	from mis- over-
Round Scarlet China	Oz.	14th .30	Lb. 1.00
Icicle. Long. smooth, white forcing radish.	.10	.25	.75
Carmine Forcing	.10	.25	.75
Scarlet Globe	.10	.25	.75
Crimson Giant			.,,
	.10	.25	.75
tivation; tender and crisp.  New White Chartier	.10	.25	
		14 -	.75

RADISH—Continued.			
0	)z.	41b.	Lb.
Wood's Early Frame	10 .	.25	.75
Early Long Scarlet Short Top	10 .	.25	.75
Early Scarlet Turnip Forcing White Tip	10 .	.25	.75
Early White Turnip	10	.25	.75
French Breakfast	10	.25	.75
Golden Globe	10 .	.25	.75
White Strasburg	10	.25	.75
Giant White Stuttgart	10	.25	.75
	10	.25	.75
	10	.30	
Best for fall; very large white radish.			
California Mammoth Winter	10	.30	
China Rose Winter	10	.30	
Long Black Spanish Winter	10	.30	
Round Black Spanish Winter	10	.30	

#### RHUBARB.

Sow the seed early, and when the plants are large enough thin them to 4 or 5 inches apart. The next spring or fall transplant them 3 feet apart each way in deep, rich soil. For forcing, take up some large roots and place them in a dark corner of the cellar or greenhouse. Two oz. to 100 feet of drill.

1/410 .10 .30

## SEED SWEET POTATOES.

The stock is of suitable size for bedding-small to medium (none very small). Always sorted before we ship same, so that nothing but sound stock can be sent out But we wish it distinctly understood that customers take all risks after we deliver in good condition to the express or railroad company here. We do not ship until planting time (About April 10.)

Extra Early Carolina. Early Yellow Jersey.

Market prices.

## SALSIFY, OR OYSTER PLANT.

When cooked, the roots have something of the flavor and odor of oysters. They may be bolled, used in soups, or grated and fried as fritters. Culture the same as for parsnips and carrots. Roots are perfectly hardy, and may be left in the ground all winter. A quantity of roots for winter use may be stored in a pit or in sand or damp earth in a cellar.

One oz. to 100 feet of drill.

1/4 Tb .20

#### SPINACH.

One of the most important crops grown for greens, and may be had in good conditon from very early in the spring until cold weather. For early use sow very early in spring, and for succession at intervals. The main crop for spring and winter use should be sown in September and the plants covered for winter. One-half oz. to 100 feet of drill; 6 to 8 pounds to the acre.

														1/4 lb	
Long Standing													.05	.15	.40
Round Leaved													.05	.15	.40
Large Thick Leaved											1	٠,	.05	.15	.40
Bloomsdale Savoy.													.05	.15	.40
Victoria													.05	.15	.40

## SQUASH.

Seed should not be planted in spring until all danger of frost is past. Plant in hills 5 feet apart for bush varieties and 6 to 8 feet apart for running sorts, putting 6 to 8 seeds to the hill, finally leaving but 3 plants. One-half pound to 200 or 300 hills; 2 to 3 pounds per acre.

per la company de la company d		1/4 th
Early White Bush	.10	.30
Early; flat scallop shape.		
Summer Crook-Neck		
Fruit about one foot long with crooked neck.		
Warty Hubbard		
A Hubbard squash completely covered with warts.		
Hubbard		
The old standard.		17 - 1
Golden Hubbard	.15	.40
Boston Marrow, similar to Hubbard	.15	.40

#### TURNIP.

For early, sow as soon as the ground can be prepared, in drills 15 inches apart, and thin the plants to stand 8 inches apart. Sow for succession at intervals of two weeks until the last week in July, and from that time onward until the last of August sow for main crop. The sowings should always be made just before a rain, if possible, as the success of the crop depends, in a great measure, upon quick germination and rapid growth of the young plants.

One oz. to 300 feet of drill; 1 pound to the acre.

	Oz.	$\frac{1}{4}$ lb. Lb.
Extra Early White Milan	.15	.50 1.75
Early Purple Top Milan	.10	.30 1.00
Red, or Purple Top Strap Leaf	.10	.25 .75
Red Top White Globe	.10	.25 .75
White Flat Dutch	.10	.25 .75
White Globe	.10	.25 .75
Golden Ball	.10	.25 .75
Excellent for table or stock; flesh yellow and sweet.		
Cow Horn	.10	.25 .75
Grown for stock.		
American Purple Top Ruta Baga	.10	.25 .75

## TOMATO.

As the plants advance in growth support them by brushwood. To have the Tomato very early it is necessary to start the plants in a hotbed, or they may be reared in a flower pot in a window and subsequently transplanted. Plants for an early crop should be raised under glass. For intermediate crop they may be raised on outside beds. For late crops the seed may be planted in permanent position. One oz. to 2,500 plants; 2 oz. to the acre.

	Oz.	1/4 tb
Ponderosa	.35	1.25
The largest tomato grown; rich crimson; solid flesh.		
June Pink	.25	.90
Truckers' Favorite	.25	.90
A fine large purple-fruited tomato. Very regular in form, good size, very		
solid and thick-meated. Not subject to rust and recommended where a		
purple fruit is wanted.		
Spark's Earliana	.25	.85
Very early; bright red, smooth and of good size and excellent flavor.		
Dwarf Champion	.25	.85
Very early; dark purplish red.		
Livingston's Perfection	.25	.85
Early; medium size; color blood red.		
John Baer	.25	.85
A very early, large red variety of fine quality.		
in voly carry, range roa various or time quarry.		

TOMATO—Continued.	Oz.	1/4 lb.
Early Detroit	.25	.90
Bonny Best	.25	.90
Very early; vigorous and productive; color scarlet.	.20	.00
Livingston's Beauty	.25	.85
The Stone	.20	.75
Dwarf Stone	.25	.87
Chalk's Early Jewel	.25	.85
Red Rock	.25	.85
very smooth.	.25	.85
Greater Baltimore	.30	.06
Golden Queen Yellow; ripens early; is large size, smooth and solid.	.30	
Yellow Pear Used for Preserves.	.30	
Red Pear	.50	
TOBACCO.		100
Sow the seed in plant bed in March. Transplant when five or six leaves apper rows 3½ feet apart, 18 to 30 inches apart in the row, according to variety. Whe appears, break off the top, leaving 16 leaves to mature. Keep off all suckers growin stem. When the leaves have become waxy and brittle it is ripe. Cut and hang the shed to dry.		et in s
Sow the seed in plant bed in March. Transplant when five or six leaves appearows 3½ feet apart, 18 to 30 inches apart in the row, according to variety. Whe appears, break off the top, leaving 16 leaves to mature. Keep off all suckers growin stem. When the leaves have become waxy and brittle it is ripe. Cut and hang the shed to dry.  Connecticut Seed Leaf	ear. Sen the stock Oz35	et in s
Sow the seed in plant bed in March. Transplant when five or six leaves appear own 3 ½ feet apart, 18 to 30 inches apart in the row, according to variety. Whe appears, break off the top, leaving 16 leaves to mature. Keep off all suckers growin stem. When the leaves have become waxy and brittle it is ripe. Cut and hang the shed to dry.  Connecticut Seed Leaf	Oz. .35	et ir bud n the in s
Sow the seed in plant bed in March. Transplant when five or six leaves apper rows 3½ feet apart, 18 to 30 inches apart in the row, according to variety. Whe appears, break off the top, leaving 16 leaves to mature. Keep off all suckers growin stem. When the leaves have become waxy and brittle it is ripe. Cut and hang the shed to dry.  Connecticut Seed Leaf.  Well-known variety.  White Burley	0s. .35	et in bud n the in s
Sow the seed in plant bed in March. Transplant when five or six leaves appear ows 3½ feet apart, 18 to 30 inches apart in the row, according to variety. Whe appears, break off the top, leaving 16 leaves to mature. Keep off all suckers growin stem. When the leaves have become waxy and brittle it is ripe. Cut and hang the shed to dry.  Connecticut Seed Leaf	Oz. .35	et in bud n the in a
Sow the seed in plant bed in March. Transplant when five or six leaves apper rows 3½ feet apart, 18 to 30 inches apart in the row, according to variety. Whe appears, break off the top, leaving 16 leaves to mature. Keep off all suckers growin stem. When the leaves have become waxy and brittle it is ripe. Cut and hang the shed to dry.  Connecticut Seed Leaf.  Well-known variety.  White Burley	0s. .35	et in s
Sow the seed in plant bed in March. Transplant when five or six leaves apper rows 3½ feet apart, 18 to 30 inches apart in the row, according to variety. Whe appears, break off the top, leaving 16 leaves to mature. Keep off all suckers growin stem. When the leaves have become waxy and brittle it is ripe. Cut and hang the shed to dry.  Connecticut Seed Leaf.  Well-known variety.  White Burley	0s. .35	et ir bud n the in s
Sow the seed in plant bed in March. Transplant when five or six leaves apper rows 3½ feet apart, 18 to 30 inches apart in the row, according to variety. Whe appears, break off the top, leaving 16 leaves to mature. Keep off all suckers growin stem. When the leaves have become waxy and brittle it is ripe. Cut and hang the shed to dry.  Connecticut Seed Leaf	0s. .35	et in s
Sow the seed in plant bed in March. Transplant when five or six leaves apper rows 3½ feet apart, 18 to 30 inches apart in the row, according to variety. Whe appears, break off the top, leaving 16 leaves to mature. Keep off all suckers growin stem. When the leaves have become waxy and brittle it is ripe. Cut and hang the shed to dry.  Connecticut Seed Leaf.  Well-known variety.  White Burley  Havana  HERBS  Caraway—Seeds used for flavoring	0s. .35	et ire bud n the in s
Sow the seed in plant bed in March. Transplant when five or six leaves apper rows 3½ feet apart, 18 to 30 inches apart in the row, according to variety. Whe appears, break off the top, leaving 16 leaves to mature. Keep off all suckers growin stem. When the leaves have become waxy and brittle it is ripe. Cut and hang the shed to dry.  Connecticut Seed Leaf.  Well-known variety.  White Burley  Havana  HERBS  Caraway—Seeds used for flavoring.	0s. .35	et in a
Sow the seed in plant bed in March. Transplant when five or six leaves apper rows 3½ feet apart, 18 to 30 inches apart in the row, according to variety. Whe appears, break off the top, leaving 16 leaves to mature. Keep off all suckers growin stem. When the leaves have become waxy and brittle it is ripe. Cut and hang the shed to dry.  Connecticut Seed Leaf Well-known variety.  White Burley Havana  HERBS  Caraway—Seeds used for flavoring Coriander—Seeds used for flavoring Dill—Used for flavoring Pickles	0s. .35	e bud n the in a
Sow the seed in plant bed in March. Transplant when five or six leaves apper rows 3½ feet apart, 18 to 30 inches apart in the row, according to variety. Whe appears, break off the top, leaving 16 leaves to mature. Keep off all suckers growin stem. When the leaves have become waxy and brittle it is ripe. Cut and hang the shed to dry.  Connecticut Seed Leaf Well-known variety.  White Burley Havana  HERBS  Caraway—Seeds used for flavoring Coriander—Seeds used for flavoring Dill—Used for flavoring Pickles Sweet Marjoram—Used as a seasoning	0s. .35	e bud n the in a
Sow the seed in plant bed in March. Transplant when five or six leaves apper rows 3½ feet apart, 18 to 30 inches apart in the row, according to variety. Whe appears, break off the top, leaving 16 leaves to mature. Keep off all suckers growin stem. When the leaves have become waxy and brittle it is ripe. Cut and hang the shed to dry.  Connecticut Seed Leaf	0s. .35	et in a the in a
Sow the seed in plant bed in March. Transplant when five or six leaves apper rows 3½ feet apart, 18 to 30 inches apart in the row, according to variety. Whe appears, break off the top, leaving 16 leaves to mature. Keep off all suckers growin stem. When the leaves have become waxy and brittle it is ripe. Cut and hang the shed to dry.  Connecticut Seed Leaf Well-known variety.  White Burley Havana  HERBS  Caraway—Seeds used for flavoring Coriander—Seeds used for flavoring Dill—Used for flavoring Pickles Sweet Marjoram—Used as a seasoning Rosemary—Leaves very fragrant Sage—A highly aromatic Herb, most useful of all	0s. .35	eet in ee bud
Sow the seed in plant bed in March. Transplant when five or six leaves apper rows 3½ feet apart, 18 to 30 inches apart in the row, according to variety. Whe appears, break off the top, leaving 16 leaves to mature. Keep off all suckers growin stem. When the leaves have become waxy and brittle it is ripe. Cut and hang the shed to dry.  Connecticut Seed Leaf Well-known variety.  White Burley Havana  HERBS  Caraway—Seeds used for flavoring Coriander—Seeds used for flavoring Dill—Used for flavoring Pickles Sweet Marjoram—Used as a seasoning Rosemary—Leaves very fragrant Sage—A highly aromatic Herb, most useful of all Thyme—Used as a seasoning	0s. .35	et in s
Sow the seed in plant bed in March. Transplant when five or six leaves apper rows 3½ feet apart, 18 to 30 inches apart in the row, according to variety. Whe appears, break off the top, leaving 16 leaves to mature. Keep off all suckers growin stem. When the leaves have become waxy and brittle it is ripe. Cut and hang the shed to dry.  Connecticut Seed Leaf. Well-known variety.  White Burley Havana  HERBS  Caraway—Seeds used for flavoring Coriander—Seeds used for flavoring Dill—Used for flavoring Pickles Sweet Marjoram—Used as a seasoning Rosemary—Leaves very fragrant Sage—A highly aromatic Herb, most useful of all Thyme—Used as a seasoning Savory, Summer—Used as a seasoning	0s. .35	e bud n the in a
Sow the seed in plant bed in March. Transplant when five or six leaves apper rows 3½ feet apart, 18 to 30 inches apart in the row, according to variety. Whe appears, break off the top, leaving 16 leaves to mature. Keep off all suckers growin stem. When the leaves have become waxy and brittle it is ripe. Cut and hang the shed to dry.  Connecticut Seed Leaf.  Well-known variety.  White Burley.  Havana.  HERBS  Caraway—Seeds used for flavoring.  Coriander—Seeds used for flavoring.  Dill—Used for flavoring Pickles.  Sweet Marjoram—Used as a seasoning.  Rosemary—Leaves very fragrant.  Sage—A highly aromatic Herb, most useful of all.  Thyme—Used as a seasoning.  Savory, Summer—Used as a seasoning.  Savory, Winter—Used as a seasoning.	Os35 .35 .35 .35	e bud n the i in a
Sow the seed in plant bed in March. Transplant when five or six leaves apper rows 3½ feet apart, 18 to 30 inches apart in the row, according to variety. Whe appears, break off the top, leaving 16 leaves to mature. Keep off all suckers growin stem. When the leaves have become waxy and brittle it is ripe. Cut and hang the shed to dry.  Connecticut Seed Leaf.  Well-known variety.  White Burley  Havana  HERBS  Caraway—Seeds used for flavoring  Coriander—Seeds used for flavoring  Dill—Used for flavoring Pickles  Sweet Marjoram—Used as a seasoning  Rosemary—Leaves very fragrant  Sage—A highly aromatic Herb, most useful of all  Thyme—Used as a seasoning  Savory, Summer—Used as a seasoning  Savory, Winter—Used as a seasoning  Savory, Winter—Used as a seasoning  Savory, Winter—Used as a seasoning  Sorrel—Large leaved, French—Used as a Salad or cooked as Greens	Os35 .35 .35	det in e bud n the in a
Sow the seed in plant bed in March. Transplant when five or six leaves apper rows 3½ feet apart, 18 to 30 inches apart in the row, according to variety. Whe appears, break off the top, leaving 16 leaves to mature. Keep off all suckers growin stem. When the leaves have become waxy and brittle it is ripe. Cut and hang the shed to dry.  Connecticut Seed Leaf.  Well-known variety.  White Burley  Havana  HERBS  Caraway—Seeds used for flavoring  Coriander—Seeds used for flavoring  Dill—Used for flavoring Pickles  Sweet Marjoram—Used as a seasoning  Rosemary—Leaves very fragrant  Sage—A highly aromatic Herb, most useful of all  Thyme—Used as a seasoning  Savory, Summer—Used as a seasoning  Savory, Summer—Used as a seasoning  Savory, Winter—Used as a seasoning  Sorrel—Large leaved, French—Used as a Salad or cooked as Greens  Basil—Sweet—Leaves used for flavoring	Os35 .35 .35	det in e bud n the in s
Sow the seed in plant bed in March. Transplant when five or six leaves apper rows 3½ feet apart, 18 to 30 inches apart in the row, according to variety. Whe appears, break off the top, leaving 16 leaves to mature. Keep off all suckers growin stem. When the leaves have become waxy and brittle it is ripe. Cut and hang the shed to dry.  Connecticut Seed Leaf.  Well-known variety.  White Burley  Havana  HERBS  Caraway—Seeds used for flavoring  Coriander—Seeds used for flavoring  Dill—Used for flavoring Pickles  Sweet Marjoram—Used as a seasoning  Rosemary—Leaves very fragrant  Sage—A highly aromatic Herb, most useful of all  Thyme—Used as a seasoning  Savory, Summer—Used as a seasoning  Savory, Winter—Used as a seasoning  Savory, Winter—Used as a seasoning  Savory, Winter—Used as a seasoning  Sorrel—Large leaved, French—Used as a Salad or cooked as Greens	Os35 .35 .35	det in e bud n the in s

used as a substitute . .

## Farm Seeds.

### FIELD CORN.

(Prices and Kinds on Application.)

#### **GRASS SEEDS.**

(Prices of all Grass Seeds vary and can not be quoted.)

Timothy. Prime quality always in stock.

Kentucky Blue Grass and Red Top.

Orchard Grass. A very valuable grass, and should be extensively used for pasture, and is also good for hay.

Soudan Grass. The great rain and drought resister; the coming hay and fodder crop. Will produce a crop in four months. 4 to 5 pound will sow an acre.

#### CLOVER.

Medium, or Common Red; Mammoth or Large English; White, Alsike, Crimson, or Scarlet, and Alfalfa.

White and Yellow Blossom Sweet Clover. Used for innoculating land for alfalfa also excellent for bee culture.

Prices of the above cannot be quoted here, as they will vary.

#### SOUTHERN COW PEAS.

The Great Land Renovator. The Growing Crop Not Only Enriches the Ground, but Furnishes a Large Amount of Most Valuable Forage For Dry or Green Feeding.

Sow from  $1\frac{1}{4}$  to  $1\frac{1}{2}$  Bushels to the Acre.

Whip-poor-Will. An early variety, tall, upright; medium yield of vines; large yield of peas, for which they are particularly grown. Highly recommended for "hogging down." Market price.

Canada Field Peas. Market price.

Dwarf Essex Rape. A forage plant of highest value. It can be sown in April for an early crop, and for fall crop in July, August and September, and still later further South. It is sown broadcast 6 pounds to the acre, but it is better drilled, in which case 4 pounds to the acre will suffice. In a few weeks from the time of sowing sheep, hogs or cattle can be turned on it. All reports agree that they gain weight faster on this than any other fodder. As it can be sown after other crops are off, the gain in fodder is secured at a nominal cost. Stockmen, dairymen and farmers have proved its value.

### BUCKWHEAT.

Should be sown about the middle of June, broadcast, using from one-half bushel to three pecks of seed to the acre.

Japanese. This new sort has proven to be much earlier and more productive than any other variety. The grains are very large and of a rich brown color. It excels in yield and earliness. Market price.

Common. The well known sort. Market price.

## SORCHUM, OR SUCAR CANE.

Sorghum is being used extensively as a green food for cattle, horses and mules. It is a sure crop, being a great drought resister and immense yielder, producing many tons of most nutritious green food to the acre. Specially fine for food for milk cows when pasture is short.

Early Orange Cane. A strong grower; much more juicy than any other variety. The stalk is heavier, and a little later than the Amber. Market price.

Early Amber Cane. Earliest of all. Market price.

BROOM CORN—Improved Evergreen The best for general cultivation. Brush firm, of good length and bright green color. Market price.

### AMOUNT OF FIELD SEED REQUIRED TO THE ACRE.

Clover, common red, 8 to 10 lbs. per acre. Clover, Alsike, 5 to 6 lbs. per acre. Alfalfa, 15 to 20 lbs. per acre. Clover, sweet, 15 to 20 lbs. per acre. Timothy, 6 to 8 lbs. per acre. Blue Grass, 15 to 25 lbs. per acre. Orchard Grass, 15 to 20 lbs. per acre. Red Top, hulled, 8 to 10 lbs. per acre. Red Top, unhulled, 20 to 25 lbs. per acre.

Sudan Grass, drill, 4 to 5 lbs., broadcast 8 to 10 lbs. per acre.
Buckwheat, 35 to 40 lbs. per acre.
Corn (field), 6 to 8 lbs. per acre.
Millet, 1 to 1½ bushels per acre.
Cow Peas, 1 to 1½ bushels per acre.
Rape, 6 to 8 lbs. per acre.
Cane, in drills 6 to 8 lbs.; broadcast, 25 to 30 lbs. per acre.
Rye, 1 to 1½ bushels per acre.

#### THE CYCLONE SEED SOWER. The best on the market.

#### HOW TO MAKE A LAWN.

The ground should be spaded deeply and thoroughly raked to a level and fineness, and after the seed is sown should be very lightly raked, as heavy raking would cover it too deep. After raking it is well to roll it, but it is not absolutely necessary.

Kentucky Blue Grass is largely used alone, and it makes a fine sod. It is well to use with it a little White Clover, which is of low growth and looks well, and it is of surer growth than blue grass. As light seeds like blue grass cannot be covered deep, but must be close to the surface, they are readily affected by dry weather. The seed may be ready to sprout and in the morning be moist, but before night be dried out and ruined. With this uncertainty it is well to sow a little Red Top with it, which is of much surer growth, and in a couple of years the blue grass will run it out.

Seed can be sown with good results almost any time where water can be had to sprinkle when it becomes dry. If not, then February and March are the best months, that it may come up with the warm spring rains. August and September are also good months, as we usually have fall rains to do the same.

It is advised to sow one pound of seed to each thirty feet square on bare ground, and on old lawns in proportion as needed.

Choice Blue Grass

White Clover

Red Top

Evergreen Lawn Grass Seed, a mixture of the best grasses,

Shady Nook Grass Seed

### NITRO-FERTILE ODORLESS LIQUID FERTILIZER

Contains Potash, Nitrogen and Phosphoric Acid

Supplying the needed nourishment for House Plants, Lawns, Shrubbery, Flowers, Vegetable Gardens and Trees. One pint will make 20 gallons of Fertilizer.

Nitro-Fertile is entirely odorless, free from weed seeds, and does not deteriorate.

PULVERIZED SHEEP MANURE—Much better and less objectionable than barn yard manure.

INCREASE YOUR YIELD OF ALFALFA, CLOVERS, COW PEAS and other Legumes by Inoculating Your Seed or Soil with

# Mulford Cultures

Multord Cultures improve your soil and, when properly used under favorable conditions, induce a prompt "catch" and often more than double your yield. They are easily used by anyone, without previous experience. No special knowledge or implements are required. Supplied in:

Peas, Garden Beans, Lima Beans and Sweet Peas) .25

Always specify on your order what crop you want to inoculate, as there is a different strain of bacteria for each legume.



## Supplies for Horses, Cattle, Hogs and Poultry.

#### LINSEED MEAL.

(Crushed Oil Cake. Old Process.)

Well known as an excellent food. Market price.

SALT-LODE-For Horses, Cattle, Hogs and Poultry.

This new preparation is used by mixing 1 pound salt-lode with 5 to 10 pounds barrel salt. 10 pound bucket \$1.00; half pound trial package 10c postpaid.

PRATT'S POULTRY AND STOCK REMEDIES.

Hog Cholera Specific, Animal Regulator, Conditioner, Poultry Regulator, Lee Killer, Roup Cure, Worm Powder for stock, Chicken Cholera Remedy, Sore Head Chicken Pox Remedy, Animal Dip, Gape Remedy, Healing Powder, Head Lice Ointment, Healing Ointment. Scaly Leg Remedy, Poultry Disinfectant, Heave Cure, Baby Chick Food, Cow Remedy, White Diarrhoea Remedy, Colic Remedy, Distemper Remedy; Poultry Condition Tablets, Bronchitis Remedy, Veterinary Liniment, Chick Starter.

#### LEE'S POULTRY REMEDIES.

Lice Powder, Liquid Lice, Egg Maker, Chick Grower and Germozone.

#### CONKEY'S POULTRY AND STOCK REMEDIES.

Lice Powder, Stock Tonic, Poultry Tonic, Nox-i-cide Disinfectant, Roup Cure Worm Remedy, Cholera Cure, Scaly Leg Remedy, Gape Remedy, Sore Head Remedy, Head Lice Ointment, Limber Neck Remedy, Lice Liquid, Heave Cure, Chick Starter.



## RUST'S HAVENS CLIMAX CON-DITION POWDER and RUST'S EGG PRODUCER

Cure for Gapes, Fowl Cholera, Animal Diseases, etc.

## DON SUNG, CHINESE EGG LAYING TABLETS

A New Discovery. Price 50 cents per box of 30 Tablets; large box of 90 Tablets \$1.00. Poultry raisers all over the United States say Don Sung makes hens lay. Stock, Poultry and Bird Remedies require war tax of one cent for every 25c. worth or fract!on thereof.



Ground Oyster Shell—Will increase the supply of eggs and keep poultry in healthy condition.

Hoermann's Louse Killer-For poultry and stock.

#### LICE KILLING NEST EGGS.

Sunflower Seed—Large Russian. Sunflower seeds are superior food for poultry (said to improve the meat). Special prices in quantities.

## SPRATT'S REMEDIES.

Spratt's Dog Cakes.

Puppy Cakes.
Puppy and Dog Vermifuge.

Spratt's Cod Liver Oil Cakes. "Cat Food.

' Charcoal Cakes.

Spratt's Patent Fish Food.

MALTOID-MILK-BONE. Bone Shaped Dog and Puppy Cakes.
RYDE'S CREAM CALF MEAL.

### **METAL ECC CRATES** (for Parcel Post)

#### SALVET REMEDIES.

Salvet for Stock. Salvet Gall Remedy. Salvet Heave Cure. Salvet Poultry Tonic. Salvet Cow Remedy. Salvet Lice Powder.

#### PICEON FEED.



Hemp Seed. Canadian Field Peas. Milo Maize. Pigeon Grit. Kaffir Corn. Sweet Corn.

#### HAMMOND'S SLUC SHOT

HAMMOND'S SLUG SHOT, one of the best vegetable insecticides in use. Specially recommended for destroying the Cabbage worm, Potato bug, Tobacco worm, and other insects that prey on vegetation. Gardeners need have no fear about applying this, as it is not dangerous to handle like Paris Green, etc. Non-poisonous to human life. The quantity used per acre varies from 10 to 40 pounds, according to the size and number of plants.

#### PERFECTION LICE POWDER

Dust your setting hens when you place them on the nest and you will have no trouble with them. Perfection Lice Powder is different from other Powders. It has a substance that makes it stick and it won't shake off.

Spray Your Flowers, Shrubs, Fruits, Vegetables, Etc., with

## "BLACK LEAF 40"

Destroys such insects as Aphis (Plant Lice) Thrips and Leaf Hoppers. Contains 40% of nicotine. 1 oz. makes about six gallons of spray.

Price 25c, ½ Lb. Can, \$1.00

"Nico-Fume" for Spraying and Fumigating in Greenhouses
"NICO-FUME" LIQUID SPRAYING

"Nico-Fume" Liquid is a highly refined solution of free nicotine and is of exceptional purity. It is guaranteed to contain 40% of nicotine by weight in water solution. It contains no alcohol, camphor or other chemicals or adulterants which might impair its efficiency or injure plants, and is especially well adapted to florists' general needs, both for fumigation and spraying purposes.

For Green Fly, Thrips, etc., "Nico-Fume" Liquid furnishes highly satisfactory results when diluted at the rate of one or two teaspoonfuls to each gallon of water. For more resistant plant lice, such as Black Fly and the Chrysanthemum Leaf Miner (Marguerite Fly), three or four teaspoonfuls to each gallon of water may be used.

14-lb. tin, price 75c, contains at least 700 grains of pure nicotine.

1-lb. tin, price, \$2.00 contains at least 2800 grains of pure nicotine.

CARBOLA Germ Killing White Paint. Use it instead of white wash and disinfectants

Lime and Sulphur. Fungi Bordo. Bordeaux Mixture. Paris Green. Slug Shot Whale Oil Soap. Sulpho Tobacco Soap. (Prices on Application.)

### POULTRY SUPPLIES

Poultry Markers, Chick Starter, Poultry Leg Bands, Scratch Feed, Charcoal, Alfalfa Meal, Beef Scraps, Drinking Fountains, Fine and Coarse Grit, Chicken Feeders, Oyster Shell, Meat Mash (Prices on Application).

## FLOWER SEEDS.

#### ALYSSUM.

One of the sweetest and most useful of summer flowers. Hardy annual. Sweet. Flowers pure white. Five cents per packet.

#### ANTIRRHYNUM.

(Snapdragon.)

One of our most showy and useful border plants. Hardy; blooming the first year from seed. One or two feet.

Finest Mixed. Per packet, 5 cents.

#### ASTERS.

Give the Aster a deep, rich soil, and a mulching of coarse manure is very beneficial. A little liquid manure occasionally will give good results. Sow early in the house, and transplant into pots or boxes. As soon as the weather is warm enough plant in beds about twelve inches apart. Half-hardy annuals.

Semple's Branching. A beautifu strain of late flowering Aster, which bears on long stems, perfectly formed double flowers 4 inches in diameter, 18 inches to 2 feet high. Double mixed. Pkt. 10c.

Giant Comet. A beautiful and distinct class. Their very large, double flowers are often 4 to 5 inches across, with long, curled and twisted petals, forming loose half-globes, resembling Japanese Chrysanthemums.

Separate colors-white, pink, purple; packet 10.

Mixed colors; packet 10 cents.

Queen of the Market. A first-class early flowering Aster, coming into flower in July, of branching habit; flowers of good size and borne on long stems, making them exceedingly valuable or cutting; one foot. Per packet, 5c..



#### ACERATUM or Floss Flower.

One of the very best bedding plants. Packet, 5 cents.

## AMARANTHUS (Joseph's Coat.)

Ornamental foliage plants. Per packet, 5 cents.

#### BALSAM.

(Lady Slipper or Touch-Me-Not.)

Desirable for garden or pot culture. The soil should be of the richest and best quality. Set them about fifteen inches apart, and give them plenty of manure water. Tender annuals. Two feet.

Double Camellia Flowered Mixed. Of perfect form; beautiful colors. Per packet,

5 cents.

### CENTUREA.

Special Callfornia Strain. All colors. Very fine. Small trial packet 5c.

Bachelor's Button. This is the widely known and ever popular Corn Flower, or Corn Bottle. Hardy annual. Two to three feet high. Packet, 5 cents.

#### CANDYTUFT.

A well known favorite. Is a hardy annual, very pretty in beds or masses. White. One foot. Packet, 5 cents.

Mixed colors. One foot. Packet, 5 cents.

#### CALENDULA (Pot Marigold.)

Showy, free-growing hardy annuals; valuable also for pot culture; 1 foot. Packet 5c.

#### CALLIOPSIS.

Very handsome and showy plants, with numerous flowers of brilliant colors and of long duration in bloom. Of the easiest culture.

Mixed. All colors. Packet, 5 cents.

#### CARNATION.

Carnations are general favorites for their delicious fragrance and richness of colors, Protect during the winter. Half-hardy perennial. One and onehaf feet.

Fine Double Mixed. The hardiest and best varieties for garden culture. Packet, 10 cents.

Marguerite. These are deservedly the most popular Carnation with the amateur, as they begin flowering in a few weeks from time of sowing. Finest mixed. Packet, 10 cents.

#### CANNAS.

Soak the seed for twelve hours in warm water before planting, and keep in a warm spot. The roots can be kept in the cellar over winter. The mixed seed we offer has been saved from the finest varieties of all colors. Packet, 5 cents.



#### CANTERBURY BELLS.

Very ornamental growing about 2 feet high; large bell-shaped flowers. Packet, 5 cents.

#### CASTOR BEANS.

Castor Bean, in all its varieties, has a very showy tropical appearance, singly or in groups. Mixed Colors. Packet, 5 cents.

#### CENTENNIAL PLANT (Mexican Fire Bush.)

A very ornamental plant for borders and rookeries, producing fern like trees from 1 to 2 feet high. Of easy culture and very hardy. Packet, 5 cents.

#### CHRYSANTHEMUM.

The annual varieties are hardy, very pretty, especially when grown in masses. Easy culture; stand the heat; require rich soil.

Coronarium. Mixed colors. One foot. Packet, 5 cents.

#### COCKSCOMB.

The Cockscombs are tender annuals, require rich soil, will attain rich color and large size by repeated shifting; cut off side flowers and leave one head only to a plant. If cut before they fade the head may be preserved during the winter.

Mixed Colors. Packet, 5 cents.

#### CHINESE WOOLFLOWER.

This new Cockscomb is one of the most magnificent garden annuals ever introduced. Plants grow two or three feet high, the bloom starting early with a central head. round and globular, which often reaches an immense size. Scores of branches are thrown out, each bearing a ball of scarlet wool, but not so large as the central one. None of the blooms fade in any way until hit by frost.

Start seed if convenient under glass about four weeks before time to transplant to the garden. If the little plants remain too long in pots or seed beds, they will begin to set bloom, which is not desirable. Transplant to the garden as soon as danger from frost is

passed. Per packet, 5 cents.

### COLUMBINE. (Aquilegia.)

No hardy plant is more easily grown than the Columbine. Seed may be planted in the open ground early in spring, and will, in the case of the single varieties, bloom the same season. Or they may be planted in August or September, and will come up early in spring and make vigorous plants, which will bloom freely during late spring and early summer. They do well in sun or half shade. No other plant has so airy a grace as the Columbine, is more generous of blooms, or better adapted for cut flowers. In this mixture are shades of yellow and orange, blue and white, pure white, pink, dark red, and the red and yellow native Columbine, many of them having long spurs. Packet, 10 cents.



Should be sown in spring, in the open ground, when danger from frost is past, or the seed may be started under cover and afterwards transplanted. When the plants are about a foot high, the tops should be pinched out to induce a bushy growth, and this should be continued until the middle of July, when they should have formed nice, bushy plants three feet high by the same in diameter.

Large Flowered Perfection. Mixed. Packet, 5 cents.

#### DAHLIA.

A well-known favorite. The colors and shades of flowers are many; is a half-hardy perennial, tuberous rooted, deserving a place in every garden. Blooms till frost. Keep roots during winter in a dry cellar, free from frost.

Various Colors, Pouble. Five feet. Packet, 5 cents. Various Colors, Single. Five feet. Packet, 5 cents

#### FOUR O'CLOCK.

Marvel of Peru, or Four O'clock, is a very pretty annual of vigorous growth. The flowers are brilliant, singularly mixed and varied on the same plant. Two feet. Packet, 5 cents.

#### FORCET-ME-NOT.

Half-hardy perennial. Six inches. Fine mixed. Packet, 5 cents.

#### **CAILLARDIA** (Blanket Flower).

One of the most showy and brilliant of garden flowers. Packet, 5 cents.

CERANIUM. Mixed, 10 cents per packet.

#### HELIOTROPE.

The Heliotrope is a sweet-scented, tender perennial. Grows freely in the garden or greenhouse. Fine for boquets. Two feet. Fine mixed. Packet, 5 cents.

#### HOLLYHOCK.

One of the most majestic of hardy plants, and a clump or line in any garden gives an effect not attainable with any other plant. For planting among shrubbery or forming a background for other flowers it is without equal. The seeds offered have been saved from the finest double flowers. Packet, 10 cents.

#### LARKSPUR. (Delphinum.)

The Larkspurs are showy annuals and perennials; beautiful border flowers. Foliage much divided, flowers in terminal spikes, blue, purple, white and red. The blue flowers are very brilliant. All grow freely in good soil. Mixed colors. Packet, 5 cents.

#### LOBELIA.

Very dwarf plants, growing four to six inches high and forming dense masses of flowers Of easy culture and well adapted for bedding, edging, pots or rookeries.

Finest Mixed Varieties. Packet, 5 cents.

#### LUPINS.

Mixed. Showy hardy plants from 2 to 3 feet tall. Packet, 5 cents.

#### MARICOLD.

Marigolds are showy annuals of easy culture. Mixed Double. (Tall French Marigold.) Packet, 5 cents.

#### MICNONETTE.

No annual is a more general favorite than the Mignonette. Its modest, sweet-scented flowers recommend it to every one. Of the easiest culture, it adapts itself to all situations. Finds a place in the greenhouse or observatory, in a box or pot on the window in some narrow, pent-up alley, or in the open ground in the summer.

Machet Dwarf. Large red. 6 inches. Packet, 5 cents.

#### FLOWERING MOSS or PORTULACA.

One of the most showy and beautiful of border flowers. The seed germinates freely and flourishes in almost any situation. Does not grow over six inches high. Anyone can grow it in any garden.

Grandiflora Mixed. Large flowers of 15 to 20 colors mixed. Packet, 5 cents.

Double Flowering. Mixed colors, very fine Packet, 10 cents.

#### MIXED ANNUALS FOR OLD FASHION WILD FLOWER CARDEN

Bright colored, summer flowering, easily grown, hardy annuals, in the greatest varieties. Packet 5 cents.

#### NASTURTIUM.

(See Cover.)

#### NICOTIANA (Flowering Tobacco).

A handsome genius of garden plants of the tobacco family; 3 feet high. Packet 5 cents

#### PANSY.

Pansies are the most popular of all the flowers grown from seed.

For summer blooming sow the seed in a box in the house or in a moderate hotbed in For summer blooming sow the seed in a box in the house or in a moderate hotbed in February or March. Sow thinly, or else transplant when an inch high to one or two inches apart. Give the plants air, so that they may not spindle up, and they may be hardened, for transplanting to the open ground, which may be done when spring has fairly opened. The soil may be any good garden soil, but the size and the beauty of the flowers will be much increased by a liberal amount of well-rotted manure (cow manure is best) well worked in. A light clay loam is best of all soils, but good results may be had from any avent light progressed well are heavy wet clay. A light chad is preferable to an entirely except light, poor sandy soil, or heavy, wet clay. A little shade is preferable to an entirely exposed situation. Remember that very large flowers can only be grown in rich soil and with sufficient moisture.

Improved Trimardeau Giant. A desirable and very attractive strain. The plants are of compact, robust and free-flowering habit. The flowers of immense size, measuring four inches in diameter; of good substance and unsurpassable in beauty and variety of coloring. Per packet, 10 cents.

Fine French Mixed. Packet, 10 cents.

#### PHLOX.

Phlox Drummondii. In all its varieties of colors and shades, comprising most elegant annual border flowers blooming from July to November; should have rich, light soil. The seed may be sown in hotbed in March, and the plants planted out in June, or, when the ground becomes warm, may be sown where they are to stand.

Finest Mixed. Very choice; various colors. 1 foot. Packet, 5 cents.

PHLOX.

#### POPPIES.

Shirley Single. A new strain of exceeding beauty. Flowers large and elegant, ranging in color from blush white through innumerable tints to pinks and crimson. Many exquisitely shaded. Splendid for cut flowers. 5 cents per packet.

Double Mixed. All colors, mixed 5 cents per packet.

#### PETUNIAS.

No plant is of more universal application than the Petunia. In the garden, conservatory or greenhouse it produces most beautiful flowers in great profusion. Will grow freely in any soil, but the richer the soil the better effect produced.

Mixed colors. 2 feet. Packet, 5 cents

#### PERIWINKLE (Vinca). Packet, 5 cents.



PINKS

#### PINKS.

They bloom continually all summer and fall until severe frost; they live over winter and bloom finely again the second season. Plants ten to fifteen inches high, and are of the easiest cultivation.

Chinensis. China or Indian Pink. Finest double mixed. Packet, 5 cents.

Heddewiggii. Double Japan Pinks. Fine collection of colors. Packet, 5 cents.

Imperialis. Double Imperial Pink. Fine mixed colors. Packet, 5 cents.

Finest Single. Mixed. Packet, 5 cents.

#### SALVIA (Flowering Sage.)

Of all the Salvias the Splendens is the brightest and best, well worthy of cultivation. Packet, 10 cents.

#### WALLFLOWER (Coldlack)

Well-known, deliciously fragrant, half-hardy annual and perennials, blooming early in the Spring, with spikes of beautiful flowers. They should be protected in a cold frame in the Winter and planted out in April. Single, Mixed. All colors. Packet, 5 cents

## SWEET PEAS.

(See Cover.)

### SALPICLOSSIS (Painted Tongue).

Easy culture; almost orchid-like flowers. Packet, 5 cents.

SCABIOSA or Mourning Bride.

They grow about  $2\frac{1}{2}$  feet high and come into bloom early in July. Packet, 5 cents.

## SNOW ON THE MOUNTAIN (Euphorbia). Packet, 5 cents. TEN WEEKS' STOCK.

Hardy annual; 1 foot high. Mixed. Packet, 5 cents. Canary Yellow, Double. Packet, 10 cents.

#### SWEET WILLIAM.

Double. Finest mixed. Very large flowers. Packet, 5 cents. Single. Finest mixed. Choice colors. Packet, 5 cents.

#### VERBENA.

No plant is more generally cultivated or more eagerly sought after than the Verbena, and no plant excels it for masses in beds on the lawns. They flower perfectly well from seeds sown in the spring. If started in the house in pots in winter, they will bloom sooner; but if sown in open ground in May they will bloom in August. Each plant will require a space of one foot.

Mammoth Mixed. Packet, 5 cents.

#### VIOLETS. (Viola Odorata.)

A great favorite, suitable for groups or borders; hardy perennial. Packet, 5 cents.

#### ZINNIAS.

A very showy plant, with large double flowers. Sow the seed early in the spring in open ground and transplant to one and one-half feet apart, in good rich soil. Half-hardy annual; one and one-half feet high.

Mixed Double The colors run through all the shades of carmine, lilac, scarlet purple, crimson, yellow, to pure white. Packet, 5 cents.

VINES AND CLIMBERS.

MORNING CLORY, CONVOLVULUS MAJOR.

New Imperial Japanese. The flowers are of gigantic size, measuring from four to six inches across. The colors are limitless in variety and very beautiful Of easy culture and if sown early will produce magnificently. Per packet, 5 cents.

Common, Mixed. Large packet, 5 cents, ounce, 15 cents.

#### MOON FLOWER.

At night and during dull days the plants are covered with an abundance of large, pure white, fragrant flowers, five to six inches in diameter. Is a rapid grower, and within a few months will grow as much as forty feet. To insure germination take a sharp knife and cut a small nick in the shell of each seed, and soak in lukewarm water for about four hours before planting.

Packet, 5 cents.



IMPERIAL JAPANESE MORNING GLORY.

#### CYPRESS VINE.

An elegant climbing plant with beautiful fern-like foliage and masses of beautiful star like flowers. Fifteen feet. Half-hardy annuals. Mixed. Packet, 5 cents.

#### PASSION FLOWER.

Purple, violet and white. The Passion Flower is a half-hardy perennial; in favorable situations grows vigorously and produces a profusion of beautiful flowers. Twenty feet. Packet, 5 cents.

#### BALSAM APPLE AND PEAR.

(Mormordica.)

Luxuriant annual climbers, with large leaves, making dense shade. The flowers are followed by ornamental fruits of orange or copper color, which burst and expose an interior of red that is highly effective. Often used for their medicinal qualities. Each, per packet, 5 cents.

#### COBÆA.

Scandens. Handsome bell-shaped flowers. Twenty feet. Packet, 5 cents.

CHINESE CINNAMON VINES

#### WILD CUCUMBER.

For covering porches and trellises. Packet, 5 cents.

#### CHINESE CINNAMON VINES.

Most desirable, easily grown, rapid climber. Once planted will grow a life time. Beautiful and fragrant, white flowers, grows in shade or sun, in wet or dry season. No insects ever trouble it. No winter harms it. Plant any time up to June.

Price extra large bulbs, 3 to 5 inches long. 3 for 10 cents; 35 cents dozen.

## MADERIA OF MICHONETTE VINE.

One of the finest plants for rapidly covering trellis work we know of. Unexcelled for rapid growth. A great bloomer. Very sweet fragrance. Two for 5 cents.

## ORNAMENTAL COURDS.

Dish Cloth or Bonnet Gourd. Packet, 5 cents. Hercules Club, Packet, 5. Dipper Gourd, Packet, 5c. Mixed Gourds, Packet, 5c

#### HYACINTH BEAN.

Splendid climber, purple and lilac flowers. 10 to 20 feet high. Packet, 5 cents.

#### SCARLET RUNNER.

Will grow to the height of 12 to 15 feet; profusion of scarlet flowers. Packet, 5 cents.

#### WISTARIA.

Hardy climbing plants, making a rapid growth, with purple flowers. Packet, 5 cents.

Price of any of these Bulbs

10 Cents Each

3 for 25 cents.

## SPRING BULBS.

On all Bulbs Postage Must be paid by Purchaser.



CANNAS.

## CROZYS' EVER-BLOOMING CANNAS.

Burbank. Rich canary yellow, lower petals spotted crimson. Six feet.

Alphonse Bouvier. Very rich in color, a deep crimson, tiated with a dazzling red. Grows 5 to 6 feet high and has trusses of very large flowers throughout the season.

Italia. Bright orange scarlet with broad golden yellow border. Height, 5 ft.

Alamania Pleasing dark salmon with golden markings. Height, 4 ft.

Charles Henderson. Bright crimson, Height 4 ft

Madam Crozy. Red with gold borders. Height  $3\frac{1}{2}$  ft.

Luray. Large flower of rosy pink. Height 3 ft.

Egandale. Bronze leaves, red flowers. Height 4 ft.

#### THE TUBEROSE.

The frequent failures in getting blooms from the Tuberose come from three causes—the planting of bulbs that have already bloomed, or of those that having been too cold in winter have rotted in the center,

something that cannot readily be seen; or thirdly from planting out to early, by which the same thing is caused. If anxious to have them bloom early in the summer they may be started in a hotbed or warm place in the house. Besides this they really will bloom as soon if planted in the open ground in a sunny spot the last of May as in ordinary treatment on the other plan. Rich soil, sun and moisture are required. Set bulbs with tops just above the ground.

Double Dwarf Pearl. Extra large Bulbs. Three for 10 cents; 35 cents a dozen.

#### IMPORTED DUTCH BULBS.

In fall we expect to have a complete and well selected assortment of Dutch Bulbs direct from the best bulb growers in Holland, and they are always first class in quality.

they are always first class in quality.
Our assortment consists of Hyacinths, Tulips, Crocus, Narcissus, etc., all of which should invariably be planted in fall.



## HARVEY'S CRUDE OIL

# For Hog and Chicken Houses Nature's Remedy. SURE DEATH TO NITS and LICE

Apply freely with brush, sprinkling can or spray, on the hogs back, on the floor and walls of the pen.

## FOR CHICKENS

Paint the roosts, walls and cracks. Apply small amount on head and under the wings of fowl. Oil Will Not Injure Your Hands.

## Makes Sleek Coats. Prevents Disease.

Not only keeps the skin free from parasites, but also keeps it in the pink of condition and health. The hair grows better and is heavier and the animal acquires a smooth glossy slick coat and he begins to look like ready money or fit for the show arena.

Harvey's Crude Oil softens and relieves the irritated skin and possesses remarkable healing qualities. It destroys the germ that causes mange and scurvey.

## Makes a Good Paint.

Mix five pounds of English Venetian Red with one gallon of HARVEY'S CRUDE OIL and it will make you an excellent paint for barns, hog houses and posts, at a small cost.

HARVEY'S CRUDE OIL can be used as a Lubricant and it is excellent for farm machinery. Oil your machinery before putting it away in the fall. Oil the plow and mold board and it will be bright and ready for Spring use. It will prevent rust.

5 gal. can \$3.00

10 gal. can \$5.00

Special Price on barrel lots. Transportation to be paid by purchaser

For Sale and Recommended by—

HOERMAN SEED STORE

Telephone 504

317 Wabash Ave.

Terre Haute, Ind.

#### THE CLADIOLUS.

Plant the bulbs four inches deep and six inches apart in rows one to two feet distant in rich soil, preferably a light one. Plant at any time from the first day of May to the middle of June, and as they grow tie them to sticks. If very dry, abundantly water them. In the fall when the tops are dead, take them up, pull off the old bulbs and throw them away and store the new ones in some dry place where they will not freeze.

A fine mixture of named varieties, none but the best kinds, at 20 cents per dozen; \$1.25 per 100

#### DAHLIA.

Single and Double. Named sorts of various colors, each 10 cents; 3 for 25c; 90c per doz.

#### CALADIUM.

(Elephant's Ear.)

The foliage of this tropical plant is of immense size. It is particularly striking when grown either single or in a group on the lawn, with Cannas in the center. Will flourish anywhere. 5 to 25 cents each.



GLADIOLUS

#### BIRD SEED.

It is important to use good bird seed, and much sold in packages is inferior. Our stock is composed of the best imported, consisting of Sicily Canary, Russian Hemp, German Rape and Italian Millet.

Bird Manna. An invaluable food for birds. 15 cents.

Mocking Bird Food. 50 ents per pound.

Sunflower.

Cuttle Fish Bone

Snow Drift Gravel for birds and gold fish. 10 cents per box, 3 for 25 cents.

Stock, Poultry and Bird Remedies require war tax of 1 cent for every 25c. worth or fraction thereof

Silver Gravel. 10 cents per box, 3 for 25 cents.

Red Gravel. 10 cents per box, 3 for 25 cents.

Bird Bitters. A tonic for birds when cut of health. Per bottle, 25 cents

Birdolene. Will keep your canary in health and song. 15 cents per box.

Canary High Ball. Promotes song, aids digestion, affords amusement and exercise. 15 cents each.

Fish Food. 10 cents per box.

## TRANSPORTATION CHARGES TO BE PAID BY PURCHASER

## SWEET PEAS



Seed should be sown as early as the ground can be worked in the spring, to enable the vines to get a good strong growth before the warm weather comes. Prepare the ground by thoroughly working in a large quantity of well-rotted manure. Make a trench six inches deep: in this sow the seed and cover two inches deep. As soon as the plants begin to show through, fill the trench. This will secure a deep planting without the bad effect of deep covering of the seed at first, and so enable the plant to bloom continually through the heat of the summer. As the flowers come into full bloom or fade, they should be cut off, for if the pods are allowed to form the plants will stop blooming. Each of the following named varieties of Sweet Peas 5c. per packet, 10c. per ounce. Mixed, 5c. per packet, 10c. per ounce, 30c. per quarter pound, \$1.00 per pound.

AGNES ECKFORD BEAUTIFUL PINK.

AMERICA — Bright cardinal and white striped.

APPLE BLOSSOM—Shaded pink and rose. BLACK KNIGHT—Deep maroon.

BLANCHE BURPEE-Large white.

CAPTAIN OF THE BLUES—Purplish mauve blue.

FIREFLY-Bright crimson scarlet.

MAID OF HONOR-White, edged blue.

PRIMROSE—Pale primrose yellow.

TRY THE NEW SPENCER VARIETIES. Mixed or separate colors, 20c per ounce.

EVERLASTING, OR HARDY SWEET PEA.

Showy, free-flowering climbers for covering old stumps, fences, etc.; continually in bloom; fine for cutting. Hardy Perennial. Mixed colors, Packet, 5 cents.



NASTURTIUM.

#### NASTURTIUM.

Dwarf Varieties. The improved varieties of the Dwarf Nasturtium are among the most popular and beautiful of our garden plants. Their neat compact growth, rich colored flowers and free blooming and long lasting qualities, together with their adaptability to almost any soil or situation, make them unsurpassed for garden decoration. One foot. Packet, 5 cents; ounce, 10 cents.

Tall Varieties. Elegant and luxuriant climbers for verandas, trellises, etc., bearing their gorgeous flowers in profusion until killed by frost. May be used to cover unsightly railings and to trail over rough ground with fine effect. Four to six fect. Packet, 5 cents; ounce, 10 cents.

TRANSPORTATION CHARGES TO BE PAID BY PURCHASER